

# Optimization of the GSH-mediated formation of mesoporous silica-coated gold nanoclusters for application in photothermal therapy

Natanael Fernandes<sup>1</sup>, Carolina F. Rodrigues<sup>1</sup>, Duarte De Melo-Diogo<sup>1</sup>, Ilídio J. Correia<sup>1,2(\*)</sup>,  
André F. Moreira<sup>1(\*\*)</sup>


<sup>1</sup>CICS-UBI - Centro de Investigação em Ciências da Saúde, Universidade da Beira Interior, Covilhã, Portugal  
<sup>2</sup>CIEPQPF- Departamento de Engenharia Química, Universidade de Coimbra, Coimbra, Portugal

\*[icorreia@ubi.pt](mailto:icorreia@ubi.pt)  
\*\*[afmoreira@fcsaude.ubi.pt](mailto:afmoreira@fcsaude.ubi.pt)


## Introduction

- Gold-based nanoparticles have been widely studied due to their localized surface plasmon resonance that can mediate a strong light absorption and heat generation [1]. However, gold nanospheres present a typical absorption band in the 500-550 nm limiting its application in cancer photothermal therapy [2].
- In this work, a novel and straightforward methodology was developed to produce gold nanoclusters coated with mesoporous silica (AuMSS), using glutathione (GSH) to mediate the formation of the gold clusters, in order to improve its photothermal capacity [3].

## Materials and Methods



## Results



**Figure 1.** Characterization of AuMSS nanoclusters' physicochemical and biological properties. UV-vis spectra of AuMSS nanocluster (A), Temperature variation curve (NIR laser (808 nm, 1.7 W/cm<sup>2</sup>, 10 min)) (B), Size distribution of AuMSS nanoclusters (C), TEM image of AuMSS nanoclusters (D), Analysis of the AuMSS nanoclusters cytotoxic activity after 1 or 3 NIR laser irradiations (808 nm, 1.7 W/cm<sup>2</sup>, 5 min) (E), Live/Dead CLSM images of the cytotoxic activity of AuMSS nanoclusters after 1 and 3 NIR laser irradiations (808 nm, 1.7 W/cm<sup>2</sup>, 5 min) (F).

## Conclusion

- AuMSS nanoclusters are promising agents for cancer photothermal therapy and can be further explored to develop a multifunctional nanomedicine with an enhanced anticancer capacity.

## References

- [1] C. F. Rodrigues, T. A. Jacinto, A. F. Moreira, E. C. Costa, S. P. Miguel, and I. J. Correia, "Functionalization of AuMSS nanorods towards more effective cancer therapies," *Nano Research*, vol. 12, no. 4, pp. 719-732, 2019.
- [2] A. F. Moreira, C. F. Rodrigues, C. A. Reis, E. C. Costa, and I. J. Correia, "Gold-core silica shell nanoparticles application in imaging and therapy: A review," *Microporous and Mesoporous Materials*, vol. 270, pp. 168-179, 2018.
- [3] V. Chegel et al., "Gold nanoparticles aggregation: drastic effect of cooperative functionalities in a single molecular conjugate," *The Journal of Physical Chemistry C*, vol. 116, no. 4, pp. 2683-2690, 2012.

## Acknowledgements

This work was supported by the Projects UIBD/00709/2020, CENTRO-01-0145-FEDER-028989, POCL-01-0145-FEDER-031462, SFRH/BD/144680/2019 (Carolina F. Rodrigues).